



DIMENSIONS = FEET

NUMBER OF LANES	SIDEWALK		SWALE*	BIKE LANE	LANE	LANE	SHOULDER	MEDIAN	LEFT TURN LANE	TREE SETBACK	CLEAR ZONE	CLEAR ZONE	RIGHT OF WAY
	R/W BEHIND	A											
2 LANES	1	8	11.5	5	10	0	3	14	0	3.5	1.5	7	91
3 LANES	1	8	11.5	5	10	0	3	3	11	3.5	1.5	0	91
4 LANES	1	8	11.5	5	10	10	0	14	0	3.5	1.5	7	107
5 LANES	1	8	11.5	5	10	10	0	3	11	3.5	1.5	0	107
* SEE STANDARD DRAWING 5-11 OR 5-12A FOR LID SWALE DETAILS													
* H1 = COMBINATION CENTER LEFT TURN & MEDIAN													
2 AND 3 LANE BOULEVARD STREET SECTION MUST MAINTAIN ≥ 18 FEET FROM CURB FACE TO CURB FACE													
SEE STANDARD DRAWING 4-6A FOR MINIMUM STRUCTURAL DESIGN AND STREET CROSS SLOPE DESIGN													
SEE MINIMUM STREET DESIGN STANDARDS TABLE FOR ADDITIONAL DESIGN ELEMENTS													
ADT 14,000-40,000													

APPROVED BY FRAN R. EIDE, PE CITY ENGINEER	REVISED DATE 8/30/2018	CITY OF OLYMPIA ARTERIAL BOULEVARD WITH LID SWALE	STD. DWG. NO. 4-2A-LID
--	---------------------------	---	---------------------------